

















Superficie investita a riso "Selenio"				Variazioni			
				Superficie (%)		Produzione (%)	
Anno	Superficie ettari	Produzione (TM.)	Prod. Unit. (TM./ha)	relativo anno precedente	relativo al 2017	relativo anno precedente	relativo al 2017
2017	16.999	127.951	7,53				
2018	14.171	104.042	7,34	-16,6%	-16,6%	-18,7%	-18,7%
2019	16.221	114.280	6,93	14,5%	-4,6%	9,8%	-10,7%
2020 (*)	20.238	147.734	7,30	24,8%	19,1%	29,3%	15,5%

(*) IPOTESI SENZA DANNI DA EVENTI ATMOSFERICI

SUPERFICI (Ha) E PRODUZIONI (Ton.) SELENIO 2020													
Anno	Alessandria		Biella		Novara		Vercelli		Lomellina		Resto ITA		Sup. Tot.
Superf. 2020	794,18	3,92%	358,76	1,77%	2210,25	10,92%	2731,85	13,50%	9736,75	48,11%	4405,71	21,77%	20237,50
PROD. 6,80 ton/Ha	5400	3,92%	2440	1,77%	15030	10,92%	18577	13,50%	66210	48,11%	29959	21,77%	137615
Prod. 7,30 ton/Ha	5798	3,92%	2619	1,77%	16135	10,92%	19943	13,50%	71075	48,11%	32162	21,77%	147734
Prod. 6,80 ton/Ha	5285	3,84%	2386	1,73%	14724	10,70%	18200	13,23%	64858	47,13%	32162	23,37%	137615
DIFFERENZA	-115	-9%	-54	-9%	-306	-9%	-377	-9%	-1352	-9%	2203	0%	-7%